

Notice of Allowability

Application No.

10/027,097

Examiner

James M Hewitt

Applicant(s)

KORNAU ET AL.

Art Unit

3679

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 3/22/04.
2. ☒ The allowed claim(s) is/are 6-10, 14, 19-20, 25, 31, 2-4, 30 and 33 renumbered as 1-15 respectively.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☒ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

/s/ J M Hewitt
4/29/04

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Clay Kuhnell on 4/28/04.

The application has been amended as follows:

In claim 2 line 1, "6" has been replaced with --1--.

In claim 3 line 1, "6" has been replaced with --1--.

In claim 4 line 1, "3" has been replaced with --12--.

In claim 6 line 10, the phrase --, wherein the first and second arms are rotatable about an axis which is substantially parallel to the facing planar surfaces of the flanged fittings-- has been inserted after "fitting".

In claim 7 line 1, "6" has been replaced with --1--.

In claim 8 line 1, "6" has been replaced with --1--.

In claim 9 line 1, "8" has been replaced with --3--.

In claim 10 line 1, "6" has been replaced with --1--.

In claim 14 line 1, "6" has been replaced with --1--.

In claim 19 line 1, "6" has been replaced with --1--.

In claim 20 line 1, "19" has been replaced with --7--.

In claim 25 line 1, "6" has been replaced with --1--.

In claim 30 line 8, the phrase --, wherein the first and second arms are rotatable about an axis which is substantially parallel to the facing planar surfaces of the flanged fittings-- has been inserted after "position".

In claim 31 line 1, "6" has been replaced with --1--.

In claim 33 line 1, "30" has been replaced with --14--.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The prior art of record does not disclose, singly or in combination, a self-aligning coupling as claimed in detail in independent claims 6 and 30.

The closest prior art includes: Wolters et al (US 4,036,258), Cooper et al (US 3,744,825), Fiori (EP 0 332 507), and Paddington (US 4,662,997).


Wolters et al, Cooper et al, Fiori, and Paddington all fail to teach or fairly suggest that the first and second arms comprise are rotatable about an axis which is substantially parallel to the facing planar surfaces of the flanged fittings, as required by claims 6 and 30. The arms of each of Wolters et al, Cooper et al, Fiori, and Paddington rather rotate about an axis that is parallel to the longitudinal axis of the flanged fittings, which is perpendicular to the facing planar surfaces of the flanged fittings.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M Hewitt whose telephone number is 703-305-0552. The examiner can normally be reached on M-F, 930am-600pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Stodola can be reached on 703-308-2686. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



James M. Hewitt
Patent Examiner
Technology Center 3600